



ESLABÓN DE UNIÓN

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	EU6	1,2	16	44	8	0,07
7 / 8	EU78	2	22	57	9	0,25
10	EU10	3,2	28	67	12	0,35
13	EU13	5,4	33	84	15	0,68
16	EU16	8,2	38	105	19	1,10




ANILLA PRINCIPAL A

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	AA6	1,12	60	110	14	0,34
7	AA7	2	60	110	16	0,40
8	AA8	3,15	75	135	18	0,53
10	AA10	5,3	90	160	22	0,80
13	AA13	8	100	180	25	1,50
16	AA16	10	110	200	32	2,30




ANILLA PRINCIPAL B

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	a mm	b mm	c mm	Peso Kg
6	AB6	2,4	75	135	18	25	54	14	1,20
7 / 8	AB78	4,3	90	160	22	34	70	16	2,30
10	AB10	6,7	100	180	26	40	85	18	3,56
13	AB13	11,2	110	200	32	50	115	22	6,05
16	AB16	17	140	260	36	65	140	26	10,00




GANCHO CON GATILLO DE SEGURIDAD DE ACOPLAMIENTO DIRECTO

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	GGSD6	1,2	113	30	33	0,13
7 / 8	GGSD78	2	134	36	35	0,50
10	GGSD10	3,2	160	48	43	0,90
13	GGSD13	5,4	195	55	53	1,70
16	GGSD16	8,2	235	69	58	3,50




GANCHO CON GATILLO DE SEGURIDAD DE OJO




Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	Peso Kg
6	GGSO6	1,2	108	41	19	32	0,24
7 / 8	GGSO78	2	130	49	24	36	0,40
10	GGSO10	3,2	160	69	37	42	0,92
13	GGSO13	5,4	210	82	43	57	2,15
16	GGSO16	8,2	250	98	50	66	2,97

GANCHO AUTOMÁTICO DE SEGURIDAD DE ACOPLAMIENTO DIRECTO




Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	GASD6	1,2	130	33	33	0,45
7 / 8	GASD78	2	162	36	43	0,85
10	GASD10	3,2	196	45	52	1,45
13	GASD13	5,4	255	56	64	2,90
16	GASD16	8,2	300	70	79	5,60

GANCHO AUTOMÁTICO DE SEGURIDAD DE OJO



Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	Peso Kg
6	GASO6	1,2	137	43	22	32	0,50
7 / 8	GASO78	2	170	49	24	44	0,80
10	GASO10	3,2	210	61	31	54	1,50
13	GASO13	5,4	265	78	39	65	3,20
16	GASO16	8,2	320	98	55	81	6,10


GANCHO AUTOMÁTICO DE SEGURIDAD GIRATORIO



Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	GASG6	1,2	180	55	31	0,71
7 / 8	GASG78	2	230	61	37	1,30
10	GASG10	3,2	270	72	47	2,20
13	GASG13	5,4	330	83	56	4,50
16	GASG16	8,2	400	105	70	8,20


GANCHO TRINCAJE ACOPLAMIENTO DIRECTO

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	GTD6	1,2	72	31	8	0,24
7 / 8	GTD78	2	86	36	10	0,32
10	GTD10	3,2	122	42	12	0,73
13	GTD13	5,4	160	52	15	1,60
16	GTD16	8,2	180	65	18	2,80




GANCHO ACORTADOR

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	Peso Kg
6	GA6	1,2	73	23	0,16
7 / 8	GA78	2	100	35	0,40
10	GA10	3,2	136	46	0,94
13	GA13	5,4	175	57	1,92
16	GA16	8,2	220	69	3,16




GANCHO FORESTAL


Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
7 / 8	GF78	2	103	38	30	0,54
10	GF10	3,2	133	43	41	0,88
13	GF13	5,4	165	52	50	1,86



GIRATORIO


Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	G6	1,12	108	27	30	0,33
8	G8	2,00	168	44	44	1,33
10	G10	3,15	168	44	44	1,33
13	G13	5,30	184	46	51	2,10
16	G16	8,00	252	66	64	4,45






GRILLETE DE UNIÓN

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	GU6	1,2	51	27	20	0,13
7 / 8	GU78	2	68	33	22	0,21
10	GU10	3,2	78	41	30	0,31
13	GU13	5,4	107	52	38	0,63
16	GU16	8,2	123	63	46	1,13




ANILLA DE CONEXIÓN DIRECTA

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6	ACD6	1,2	74	27	20	0,08
7 / 8	ACD78	2	90	32	24	0,18
10	ACD10	3,2	122	45	28	0,40
13	ACD13	5,4	152	55	45	0,92



GANCHO FUNDICIÓN


Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	E mm	Peso Kg
6	GFU6	1,12	95	13	50	24	20	0,53
8	GFU8	2	125	18	66	33	27	0,93
10	GFU10	3,15	146	20	76	35	32	1,66
13	GFU13	5,3	175	26	89	41	38	3,15
16	GFU16	8	205	32	102	48	45	5,41



TENSOR DE CADENA TIPO L


Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	Peso Kg
6 / 8	TCL68	1,2	26,5	12	19	1,60
8 / 10	TCL810	2,5	39	16	39	4,62
10 / 12	TCL1012	4	40	18	39	5,38
12 / 16	TCL1216	6	40	20	40	6,96






GANCHO ELEVACIÓN PARA MOTORES

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	Peso (Kg)
6	GEM	0,50	137	19	13	12	0,55




GRILLETE ACOPLAMIENTO CADENA ESPECIAL

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	E mm	F mm	Peso (Kg)
10	GE10	3,20	64	16	32	36	21	47	0,61
13	GE13	5,00	82,5	20	40	49	27	61	1,24
16	GE16	8,00	99	24	48	56	33	75	2,10
18	GE18	10,00	115	30	60	63	42	100	3,93




GRILLETE ACOPLAMIENTO CADENA CON PERNO

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	E mm	F mm	Peso (Kg)
10	GP10	3,20	64	16	32	36	21	47	0,67
13	GP13	5,00	82,5	20	40	49	27	61	1,37
16	GP16	8,00	99	24	48	56	33	75	2,28
18	GP18	10,00	115	30	60	63	42	100	4,37



ANILLA SEGURIDAD PARA CONTENEDORES

Ømm	Ref.	Carga Trabajo (t)	A mm	B mm	C mm	D mm	Peso (Kg)
13	ASC13	5,30	141	57	65	125	1,80
16	ASC16	8,00	148	57	65	127	2,60



CADENA DE ESTIBACIÓN

Ømm	Ref.	Carga Trabajo(t)	L mm	Peso (Kg)
10	CE4	1,60	405,5	1,70
10	CE6	1,60	675,5	2,30



CHAPA DE IDENTIFICACIÓN

Medida	Ref.
1 Ramal	CHI1R
2 - 3 - 4 Ramales	CHI 234R